

INDEX MAPS.

T. 25N. R. 14E. 2nd Mer.

Meandering 139

	110	110	110	109	109	109						
112	6	139	5	131	4	127	3	121	2	116	1	108
	138		138		131		126		121		116	
112	7	137	8	131	9	126	10	120	11	115	12	108
	137		136		130		125		120		115	
111	18	136	17	130	16	125	15	119	14	115	13	108
	136		135		129		124		119		114	
111	19	134	20	129	21	123	22	119	23	114	24	107
	134		133		128		123		118		114	
111	30	133	29	128	28	122	27	118	26	113	25	107
	133		133		127		122		118		113	
111	31	132	32	127	33	122	34	117	35	112	36	107
	106		106		106		105		105		105	

T. 26N. R. 14E. 2nd Mer.

	162		162		161		161		161		160	
164	6	185	5	180	4	176	3	172	2	168	1	160
	185		184		179		175		171		167	
163	7	184	8	179	9	175	10	171	11	167	12	160
	184		184		179		175		171		167	
163	18	183	17	178	16	174	15	170	14	166	13	159
	183		183		178		174		170		166	
163	19	182	20	178	21	174	22	170	23	166	24	159
	182		181		177		173		169		165	
163	30	181	29	177	28	173	27	169	26	165	25	159
	181		180		176		172		168		164	
162	31	180	32	176	33	172	34	168	35	164	36	159
	158		158		156		157		157		157	

The figures on the lines refer to the page.

Ch. M.

South Boundary.

Var. ---

West On S. Side of Sec. 36.

10.00 a Brook 7 ft. wide course N.

21.30 a Hickory 18 in. diam.

40.00 Set gr. Sec. post, from which
a Hickory 12 in. dia. bears S 35 E. 10 ft. dist.
a Do. 18 " " " N 5 W. 16 " "

80.00 Set post cor. to Secs. 35 & 36, fr. which
an Oak 8 in. dia. bears S 85 E. 15 ft. dist.
a Do. 6 " " " S 87 W. 8 " "
Land, level. Lint. Oak, Hickory &
Beech &c.

West On S. Side of Sec. 35.

16.20

25.00 To Wabash River 150 ft. wide cor. S. W.

36.00 Same course N. W.

40.00 Set gr. Sec. post, from which
an Ironwood 6 in. dia. bears N 41 W. 16 ft. &
a Hickory 18 " " " N 68 E. 29 " dist.

58.90 a Beech 12 in. diam.

77.00 To Wabash River 150 ft. wide cor. N. W.

80.00 Set post cor. to Secs. 34 & 35, from which
in the creek no bearing trees.

Land same as before.

West On S. Side of Sec. 34.

17.00 Leave the Wabash River. cor. N. W.

40.00 Set gr. Sec. post, from which
a Sugar 12 in. dia. bears S 41 E. 31 ft. dist.
a Beech 16 " " " N 6 E. 20 " "

56.30 a B. Oak 36 in. diam.

80.00 Set post cor. to Secs. 33 & 34, fr. which
an Elm 22 in. dia. bears N 65 E. 42 ft. dist. &
a Do. 18 " " " S 50 W. 14 " "

Land wet. Oak, Ash, Birch, Elm &c.

106 S. 25 N. R. 14 E. 2nd Mer. Ind. a

Ch. P. H. P.

West On S. Side of Sec. 33.

7.90 a Beech 14 in. diam.

40.00 Set gr. Sec. post, from which
a Willow 12 in. dia. bears S 35 W. 60 lbs. dist.
a Do. 10 " " " N 15 W. 33 " "

59.70 a Beech 12 " "

80.00 Set post Cor. to Secs. 32 & 33 fr. wh.
a wh. Oak 14 in. dia. bears East 8 lbs. dist. N
a Hickory 11 " " " N 85 W. 30 " "
Land, as before.

West On S. side of Sec. 32.

18.25 a Hickory 12 in. diam.

38.00 a Creek 70 lbs. wide course N.

40.00 Set gr. Sec. post, from which
a Sugar 12 in. dia. bears S 6 E. 30 lbs. dist. N
an Iron wood 3 in. dia. bears N 11 E. 4 lbs. dist.

54.20 a maple 10 in. diam.

80.00 Set post, Cor. to Secs. 31 & 32, fr. wh.
an Elm 12 in. dia. bears S 21 W. 16 lbs. dist. N
an Ash 12 " " " N 25 E. 20 " "
Land, wet and swampy. Timb.
Elm, Maple, Ash. Beech &c.

West On S. Side of Sec. 31.

40.00 Set gr. Sec. post, from which
a Maple 12 in. dia. bears S 80 E. 30 lbs. dist.

80.81 Intersect the N & S line between
Ranges 13 & 14 East at the corner of
Towns 24 & 25.

Land swampy. Timb. Ash &
Maple &c.

Surveyed in 1819 by, John M. Donald, Esq.

East Boundary.

Var. 5° 30' E.

S. 25 N. R. 14 E. 2nd Mer. Ind. ¹⁰⁷

Ch. 7k.

North Cen. E. side of Sec. 36.

26.00 a Brook 10 ft. wide course N. E.

40.00 Set gr. Sec. post, from which

a Buckeye 12 in. dia. bears N 80 W. 8 lb.

a Horn beam 4 in. dia. " S 28 E. 7 lb. dist.

41.00 To Wabash River 200 ft. wide E. N. W.

58.20 an Oak 20 in. diam.

76.00 a Brook 15 ft. wide ~

80.00 Set post cor. to Sec. 25 & 36, fr. which

a Sugar 14 in. dia. bears S 69 E. 4 lb. dist. &

an Elm 14 " " " N 35 W. 31 " "

Land, good farming land. Limb.

Beech, Oak, Sugar, Mud, yth. Spice.

North Cen. E. side of Sec. 25.

7.20 an Ash 12 in. diam.

40.00 Set gr. Sec. post, from which

a Beech 14 in. dia. bears S 32 = 8 lb. dist.

a Do. 13 " " " N 32 W. 8 " "

47.70 a Sugar 14 " "

80.00 Set post cor. to Sec. 24 & 25, fr. wh.

a Beech 13 in. dia. bears East, 21 lb. dist.

a Do. 8 " " " N 60 W. 23 " "

Land, as before.

North Cen. E. side of Sec. 24.

31.90 a Beech 13 in. diam.

40.00 Set gr. Sec. post, from which

a Beech 15 in. dia. bears N 49 E. 11 lb. dist.

a Do. 12 " " " S 62 W. 31 " "

56.31 an Elm 14 in. diam.

80.00 Set post cor. to Sec. 13 & 24, fr. wh.

a Hickory 14 in. dia. bears S 37 W. 20 lb. dist.

an Oak 40 in. dia. bears N 5 W. 24 " "

Level wet. Beech & Oak.

108 P 25 N. 16. 14 E. 2nd Mer. Ind.

Ch. Lt.

North On E. side of Sec. 13.

14.64 a Hickory 12 in. diam.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears S 88° W 27' N. dist.
a Hickory 14 " " " N 2 E. 15 " "

52.00 a Beech 15 " "

80.00 Set post cor. to Sec. 12 & 13, fr. wh.
a Hickory 14 in. dia. bears S 11 E. 24' N.
an Ash 6 " " " N 21 E. 4 " dist.
Land, as before.

North On E. side of Sec. 12.

40.00 Set q. Sec. post, from which
an Ash 10 in. dia. bears S 25° W 15' N. dist.
a Beech 12 " " " S 4 E. 19 " "

27.72 a Beech 16 " "

80.00 Set post cor. to Sec. 1 & 12, fr. which
a Beech 13 in. dia. bears S 18 E. 23' N. dist.
a Sugar 8 " " " N 52° W 23 " "
Land, as before.

North On E. side of Sec. 1.

6.60 Enter Swamp course N. E.

28.50 an Oak 36 in. dia.

40.00 Set q. Sec. post, from which
a Wh. Oak 9 in. dia. bears S 40 E. 16' N. dist.
a Do. 12 " " " N 16° W 21 " "

44.00 a Knack in course N. W.

80.00 Set post cor. to Sec. 14, 36 & 33 & Towns.
25 & 26 N. 16. 14 & 15 East, from which
a Willow 5 in. dia. bears S 14° W 25' N. dist.
a Cherry 9 " " " N 17° W 43 " "
March 4th 1820. Surveyed by

John M. C. Donald,
Dep. Sur.

S. 25 N. No. 14 E. 2nd Mer. Ind. 109
Ch. No.

North Boundary.

Var. 5:55.8.

West on S. side of sec. 36. T. 26 N. No. 14 E.

22.50 a Wh. Oak 24 in. diam.

40.00 Set q. sec. post, from which
an Ironwood 9 in. dia. bears S 54° W. 37 ft.
a Beech 18 in. dia. bears N 83° E. 53 ft.

54.20 a Wh. Oak 12 in. dia.

80.00 Set post cor. to sec. 35 & 36, from which
a Beech 15 in. dia. bears S 57° E. 13 ft. dist. &
a Sugar 12 " " " N 78° W. 28 " "
Land, level Rich Soil. Timb.
Beech, Sugar, Oak &c.

West on S. side of sec. 35. T. 26 N. No. 14 E.

36.66 a Wh. Oak 18 in. diam.

40.00 Set q. sec. post, from which
an Ironwood 6 in. dia. bears S 40° E. 19 ft. dist.
a Do. 4 " " " N 33° W. 11 " "

80.00 Set post cor. to sec. 34 & 35, from which
a Beech 14 in. dia. bears S 78° E. 11 ft. dist.
& a Do. 12 " " " N 47° W. 16 " "
Land, low & wet. Timb. Ash & Maple.

West on S. side of sec. 34. T. 26 N. No. 14 E.

6.66 a Hickory 15 in. diam.?

40.00 Set q. sec. post, from which
a Wh. Oak 9 in. dia. bears S 80° W. 60 ft. dist. &
no other tree noted.

52.70 a Hickory 18 in. diam.

80.00 Set post cor. to sec. 33 & 34, from which
an Elm 18 in. dia. bears S 47° E. in dist. &
a Hickory 12 " " " N 47° W. " "
Land, level Timb. Beech, Sugar-
Walnut &c.

110 S. 25 N. R. 14 E. 2nd Mer. Ind.

Ch. L.P.

West On S. Side of Sec 33. T. 26 N. R. 14 E.
15.50 a Brook 10 ft. wide Course N.E.
17.70 a Hickory 12 in. diam.
40.00 Set gr. Sec. post. from which
a Sugar 20 in. dia. bears N 50 E. 10 ft. dist.
a Beech 14 " " " N 70 W. 22 " "
65.68 an Ash 18 " "
80.00 Set post loc. to Sec. 32 & 33, fr. wh.
an Iron wood 8 in. dia. bears S 89 E. 21 ft.
a Hickory 4 in. dia. bears S 2 W. 25 ft. dist.
Land, the same.

West On S. Side of Sec. 32. T. 26 N. R. 14 E.
14.20 a Beech 15 in. diam.
40.00 Set gr. Sec. post. from which
a Hickory 4 in. dia. bears S 41 W. 11 ft. dist. &
a Beech 18 " " " N 20 E. 35 " "
63.30 an Elm 12 " "
80.00 Set post loc. to Sec. 31 & 32, fr. wh.
a wh. Oak 12 in. dia. bears S 53 W. 19 ft. dist.
a Beech 12 " " " N 16 E. 29 " "
Land, as above.

West On S. Side of Sec. 31. T. 26 N. R. 14 E.
7.66 an Elm 12 in. diam.
40.00 Set gr. Sec. post. from which
a Bk. Oak 24 in. dia. bears S 72 E. 4 ft. dist. &
a Hickory 12 " " " N 21 W. 25 " "
81.50 Intersect N. line Between Ranges
13 & 14 East 82 ft. S. of temp. post &
Set post loc. to Towns. 25 & 26 North,
Ranges 13 & 14 E. Surveyed in 1820.
By John M. C. Donald, J.S.

West Boundary.

Var. 5° 45' E.

T. 25 N. R. 14 E. 2nd Mer. Ind. ^{III}

Ch. H.
North On E. side of Sec. 36. T. 25 N. R. 13 E.
31.75 a Hickory 10 in. dia.
40.00 Set q. Sec. post, from which
a Hickory 18 in. dia. bears S 56 E. 50 ch. dist.
an Ash 16 " " " N 54 W. 24 " "
80.00 Set post, loc. to sec. 25 & 36, from wh.
a Beech 10 in. dia. bears N 35 W. 9 ch. dist. &
a Do. 10 " " " N 35 E. 11 " "
Land, Rich. Timb. Beech, Oak,
Sugar, Hickory & mod. sth. of Spruce.

North On E. side of Sec. 25. T. 25 N. R. 13 E.
40.00 Set q. Sec. post, from which
a Beech 24 in. dia. bears S 32 W. 26 ch. dist.
a Dogwood 8 " " " S 82 E. 24 " "
80.00 Set post, loc. to sec. 24 & 25, from wh.
a Wh. Oak 12 in. dia. bears South, 104 ch. &
an Ash 8 " " " N 40 E. 42 ch. dist.
Land &c. the same.

North On E. side of Sec. 24. T. 25 N. R. 13 E.
40.00 Set q. Sec. post, from which
a Beech 24 in. diam. bears S 45 W. 24 ch. dist.
& a Do. 24 " " " N 60 E. 10 " "
71.69 a Hickory 24 in. diam.
80.00 Set post loc. to sec. 13 & 24, from wh.
an Elm 24 in. dia. bears S 30 W. 93 ch. dist. &
a Hickory 10 " " " N 37 E. 19 " "
Land, as above.

North On E. side of Sec. 13. T. 25 N. R. 13 E.
40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears N 5 E. 12 ch. dist. &
an Ironwood 8 in. dia. " S 15 E. 12 " "
66.60 a Beech 24 in. diam.
80.00 Set post loc. to sec. 12 & 13, from wh.

112 S. 25 N. 14 E. 2nd Mer. Ind. a
 Ch. M.
 an Ash 18 in. dia. bears S 16 W. 24 lb. dist. &
 a Hickory 18 in. " " N 16 E. 16 " "
 Land, as before.

North On E. side of sec. 12. S. 25 N. 16. 13 E.
 3. 50 To Wabash River 185 lbs wide crs. S 45 W.
 37. 50 Ironwood 8 in. diam.
 40.00 Set q. sec. post. from which
 an Ash 8 in. dia. bears S 5 W. 14 lb. dist. &
 a Logwood 8 in. dia. " N 45 W. 9 " "
 54.00 a Wh. Oak 12 in. diam.
 80.00 Set post loc. to Sec. 1 & 12. from which
 a Wh. Oak 8 in. dia bears N 67 W. 11 lb. dist. &
 a Hickory 12 " " " S 40 E. 29 " "
 Land, as above.

North On E. side of sec. 1. S. 25 N. 16. 13 E.
 27.34 a Hickory 8 in. diam.
 40.00 Set q. sec. post. from which
 a Wh. Oak 24 in. dia. bears S 47 E. 23 lb. dist.
 a Hickory 18 " " " N 15 E. 24 " "
 79.18 Set post for loc. of Townships
 25 & 26, North, Ranges 13 & 14 East. fr. wh.
 a Wh. Oak 10 in. dia. bears S 45 W. 37 lb. dist.
 a Do. 10 " " " N 50 E. 34 lb. dist.
 Surveyed in 1820.
 By John M. C. Donald, D.S.

Subdivisions.

Thru Cor. to sec. 25, 26, 35 & 36. Var. ~
 South Between Sect. 35 & 36.
 40.00 Set post, (qr. sec.) from which
 an Ash 5 in. dia. bears N 46 W. 20 lb. dist.
 a No. 12 " " " S 55 E. 21 " "
 65.50 To Wabash River 150 lb. wide.
 Course S. W. & set post, from which

P. 25 N. No. 14 E. 2nd Mer. Ind. a
 67.44

a Wh Elm 15 in. dia. bears N 80 W, 39 l^k. dist.

a Hickory 10 " " " N 88 E, 39 " "

67.64 a Wh Oak 24 in. diam. on opposite side of R.

81.32 Intersect S. boundy. 39 l^k. W. of post.

North Between sections 35 & 36.

13.88 To the Wabash corner S. W. flow &
 set post, from which

a Wh. Oak 18 in. dia. bears S 30 W, 11 l^k. dist.

81.32 set post cor. to sec. 25, 26, 35 & 36, fr. wh.

a Hickory 6 in. dia. bears N 40 W, 53 l^k. dist.

a Do. 16 " " " S 36 E, 44 " "

Land wet and level S. 1/2 overflowed
 Timber, Ash, Oak, Hickory, Elm.
 m^{rs}. 8th. P. Ash & Spice.

East On Wabash between sec. 25 & 36.

40.00 set q^r. sec. temp. post.

68.00 Enter wet overflowed Bottom.

80.00 Intersect E. boundy. at post.

West correct line Between sec. 25 & 36.

40.00 set q^r. sec. post, from which

a Hickory 12 in. dia. bears N 26 E, 38 l^k. dist.

a Beech 12 " " " S 21 W, 26 " "

80.00 sec. cor. Land, wet level. Timber,

Beech, Ash, Hickory, Oak. und.

Spice Clear & pickly Ash.

North Between sections 25 & 26.

19.26 a Sugar 10 in. diam.

40.00 set q^r. sec. post, from which

an Ash 5 in. dia. bears N 35 E, 7 l^k. dist.

a Hickory 20 " " " S 25 E, 10 " "

57.50 an. Ash 20 " "

80.00 set post cor. to sec. 23, 24, 25 & 26 fr. wh.

114 S. 25 N. 14 E. 2nd Mer. Ind. a.
Ch. Th.

a Beech 12 in. dia. bears N 58 W. 22 lb. dist.
a Do. 18 " " " S 36 E. 25 " "
Land, 2nd rate level wet in places.
Beech, Sugar, Ash, Hickory, Spice, Yew
& P. Ash.

East On Random Between Sect. 24 & 25.
40.00 Set temp. q. sec. post.
80.30 Intersect E. boundary. 10 lb. N. of post.

West Correct line Between Sect. 24 & 25.
40.15 Set q. sec. post. from which
a Beech 14 in. dia. bears N 124 W. 58 lb. dist. &
a Hickory 20 " " " S 116 E. 39 " "
Land good 2nd rate level. Timber,
Beech, Sugar, Ash, & Spice &c.
80.30 Sec. cor.

North Between Sect. 23 & 24.
40.00 Set q. sec. post. from which
a Wh. Oak 10 in. dia. bears S 70 E. 13 lb. dist.
a Wh. Elm 20 " " " N 88 W. 28 " "
57.32 a Hickory 18 in. diam.
80.00 Set post cor. to Sect. 13, 14, 23 & 24, fr. wh.
a W. Oak 30 in. dia. bears S 37 E. 21 lb. dist.
a Wh. Oak 10 " " " N 51 E. 41 " "
Land, 1/2 rolling 2nd rate. Tim.
Beech, Sugar &c. N. 1/2 wet & flat.
Hickory, Ash, Elm, Spice & P. Ash.

East On Random Between Sect. 13 & 24.
20.00 Wet land (a swamp course N.)
40.00 Set temp. q. sec. post.
79.60 Intersect E. boundary at post.
Land, wet & flat. Beech, Ash Elm Oak.
- Spice & P. Ash.

Ch. Hk.
West connect line between Sec. 13 & 24.
39.80 Set gr. sec. post, from which
an Ash 18 in. dia. bears S 64° W. 14 1/2 m. dist.
a Do. 15 " " " N 80° E. 41 " "
79.60 Sec. cor.

North Between Sections 13 & 14.
15.00 Enter swamp off set.
19.50 Leave swamp join line.
24.50 a Wh. Elm 30 in. diam.
40.00 Set gr. sec. post, from which
a Beech 12 in. dia. bears S 85° E. 27 1/2 m. dist.
a Wh. Oak 24 in. dia. " N 83° W. 41 " "
59.25 a Lym 24 " "
80.00 Set post cor. to Sec. 11, 12, 13 & 14, fr. wh.
a Beech 14 in. dia. bears S 56° E. 25 1/2 m. dist.
a Wh. Oak 30 " " " N 72° W. 11 " "
Land, wet and level. Timb. Beech,
Ash, Elm, Spice, P. Ash & willow

East On Random Between Sec. 12 & 13.
40.00 Set temp. gr. sec. post.
79.10 Intersect N & S. line 30 1/2 m. N. of post.

West connect line between Sec. 12 & 13.
39.55 Set gr. sec. post, from which
a Beech 12 in. dia. bears North 39 1/2 m. dist. &
a Lym 18 " " " N 11° W. 13 " "
79.10 Sec. cor. Land, level & wet. Timb.
Beech, Ash, Elm, P. Ash & Spice.

North Between Sections 11 & 12.
24.50 a Beech 12 in. diam.
32.00 a Run 10 m. wide course N. E.
40.00 Set gr. sec. post, from which
a W. Oak 30 in. dia. bears S 79° E. 50 1/2 m. dist.

116 S. 25 N. R. 14 E. 2nd Mer. Ind.

ch. 40. a Bl. Ash 15 in. dia. bears N 13 W. 30 bl. dist.
40.50 Enter Swamp offset.
45.00 Leave Swamp join line.
56.90 an Ash 18 in. diam.
64.00 a Run 12 bl. wide Course E.
80.00 Set post Cor. to Sec. 1, 2, 11 & 12, fr. wh.
a Wh. Oak 4 in. dia. bears N 7 W. 24 bl. dist.
a Bl. Oak 12 " " " S 4 W. 32 " "
Land, level 2nd rate Tim b.
Beech Ash, Oak, Hickory, & Spice.

East Un Meander between Sec. 1 & 12.
12.00 a Run 12 bl. wide Course N.
24.00 a " " " " " S. or N.
40.00 Set Corp. gr. Sec. post
58.00 a Run 10 bl. wide Corp it twice c N & S.
63.50 Corp do. 3 times 12 bl. wide c. N. S. N.
80.00 Set post Cor. to Sec. Intersect N. & S. line
40 bl. N. of post.

West correct line between sec. 1 & 12.
40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bears N 76 E. 34 bl. dist.
a Do. 10 " " " S 76 W. 19 " "
80.00 Sec. Cor. Land, 2nd rate level, Ash
Beech & Sugar.

North Between Sections 1 & 2.
30.29 a Beech 18 in. diam.
39.00 Enter Swamp
40.00 Set gr. Sec. post, from which
an Elm 12 in. dia. bears N 1 W. 20 bl. dist. X
an Ash 12 " " " S E. 140 " "
51.00 Leave Swamp
54.20 a Wh. Oak 20 in. diam.
78.70 Intersect N. Boundary. 180 bl. E. of post.

T. 25 N. R. 14 E. 2nd Mer. Ind. a.

Ch. W.

& set post loc. to sect. 1 & 2, from wh.
a wh. Oak 24 in. dia. bears N 70 E, 31 lb. dist.)
a Beech 18 " " " S 81 W, 22 " "

Land swampy Beech Elm Oak, &
Hickory - Briers Willow & P. Ash.

North Between sec. 34 & 35.

40.00 Set op. sec. post, from which
a Beech 6 in. dia. bears N 18 W, 24 lb. X
a Sugar 12 " " " S 36 E, 20 " dist.

56.50 Enter Over flowed bottom

70.00 To Wabash River 100 lb. wide and
set post loc. to sect. (part) fr. wh.
an Ash 5 in. dia. bears N 40 E, 34 lb. dist. X
a Jo. 18 " " " S 78 W, 34 " "

72.46 To Wabash 150 lb. wide and set a
Mr. post, on S. side, fr. wh.
a Hickory 15 in. dia. bears S 58 E, 27 lb. dist.
a Hickory 24 for meand. post.

77.50 To Wabash River 150 lb. wide course E.
& set post on N. side, from which
a Maple 12 in. dia. bears S 47 E, 26 lb. dist.
a wh. Elm 20 " " " N 47 W, 15 " "

79.00 Over River to S. side (150 lb. wide)
& set meand. post, from which
a Hickory 14 in. dia. bears S 77 W, 58 lb. X
a Water Beech 6 in. " " S 83 E, 20 " dist.

81.50 To Wabash River 150 lb. wide
course W. on N. side & set a
meand. post, from which
a B. Oak 30 in. dia. bears N 67 W, 31 lb. dist.
a Blackberry 24 " " " S 78 E, 7 " "

82.10 Intersect cor. to sec. 26, 27, 34 & 35, 20 lb.

W. of post. & set post cor. to S. sec. from which
Land, 2nd rate level. Beech, Ash
Sugar &c. Spice & P. Ash.
+ a Hickory 24 in. N 78 E, 34 lb. & a Beech 20 in. S 63 W, 14 lb. dist.

118 S. 25 N. R. 14 E. 2nd Mer. Ind. a

Ch. W.

East an Random Between Sect. 26 & 35.

40.00 Set temp. gr. sec. post.

80.00 Intersect N & S. line at post.

West correct line between Sect. 26 & 35.

40.00 Set gr. sec. post, from which

a Beech 12 in. dia. bears N 20 W, 28 lb. dist.

a Dog 12 " " " S 2 W, 13 " "

Land, level 2nd rate. Timb. Ash,

Beech, Sugar, Hickory, Spice & P. Ash.

80.00 Sec. cor.

North Between Sect. 26 & 27.

40.00 Set gr. sec. post, from which

a Wh. Elm 36 in. dia. bears S 31 W, 31 lb. dist. &

a Do. 24 " " " North, 7 " "

45.00 a Run 10 lb. wide Course W.

58.35 a Hickory 24 in. dia.

79.00 a Run 10 lb. wide Course W. muddy.

80.00 Set post cor. to Sect. 22, 23, 26 & 27, p. wh.
an Ash 12 in. dia. bears N 17 W, 14 lb. dist.

a Do. 10 " " " S 8 E, 48 " "

Land, level wet land. Timb. Ash,
Beech, Elm, Hickory, Spice & P. Ash.

East an Random between Sect. 26 & 35.

35.00 a Run 6 lb. wide Course S.

40.00 a Run 10 " " " S. W.

40.00 Set temp. gr. sec. post.

47.00 a Run 10 lb. wide Course N. E.

79.90 Intersect E. line 30 lb. N. of post.

West correct line between Sect. 26 & 35.

39.95 Set gr. sec. post, from which

a Wh. Elm 24 in. dia. bears N 55 W, 9 lb. dist.

a Do. 24 " " " S 28 W, 28 " "

T. 25 N. R. 14 E. 2nd Mer. Ind. 119
Ch. M.

79.90 Sec. loc.

Land, poor, Oak & Beech with wet
places. mid. Spruce & P. Ash.

North Between Sect. 22 & 23.

29.89 a Hickory 20 in. dia.

40.00 Set gr. Sec. post. from which
a Wh. Oak 20 in. dia. bears N 77 E. 50 lb.
a Hickory 15 " " " West 15 lb. dist.

64.90 a Wh. Oak 20 in. dia.

80.00 Set post loc. to Sect. 14, 15, 22 & 23, —
an Ash 20 in. dia. bears S 72 E. 39 lb. dist.
a Beech 12 " " " N 72 W. 15 " "
Land, 2nd rate rolling Oak & Hickory.
Openwood generally, some dogwood.

East On Meander between Sect. 14 & 23.

40.00 Set temp. gr. Sec. post.

63.50 Crossed brook 5 lb. wide 3 times
course S. N. S.

70.00 Crossed same stream course N & S.

80.10 Intersect N & S. line 14 lb. N. of post.

West Correct line between Sect. 14 & 23.

40.05 Set gr. Sec. post. from which
a Beech 12 in. dia. bears S 35 W. 17 lb. dist.
a Hickory 20 " " " N 70 E. 27 " "
Spr. Beech, Hickory, Ash, —
Land, 2nd rate rolling, openwood.

North Between Sections 14 & 15.

4.50 a Run 10 lb. wide course W. for N. S. E.

21.84 a B. Oak 30 in. diam.

40.00 Set gr. Sec. post. from which
a Hickory 24 in. dia. bears S 70 E. 11 lb. dist.
a Do. 18 " " " N 70 W. 27 " "

120 S. 25 N. No. 14 E. 2nd Mer. Ind. a
Ch. No.

47.00 a Run 10 lb. wide Course W.
61.35 a W. Oak 30 in. diam.
80.00 Set post loc. to Sect. 10, 11, 14 & 15. f. wh.
a Beech 12 in. dia. bears for loc. f. wh.
a W. Oak 30 in. " " N 76 E, 18 lb. dist.
Land, 2nd rate rolling. Timb.
Bl. Ash Hickory Spice &c.

East on Meander between Sect. 11 & 14.

40.00 Set tempy. gr. sec. post.
55.00 a Run 10 lb. wide Course N.
79.84 Intersect N & S. line 12 lb. N. of post.

West Correct line between Sect. 11 & 14.

39.92 Set gr. sec. post. from which
a Beech 15 in. dia. bears N 28 W. 15 lb. dist.
a Do. 14 " " " S 26 E, 30 lb. dist.
79.84 Sec. loc.
Land, W. $\frac{1}{2}$ 2nd rate rolling. -
East $\frac{1}{2}$ 2nd rate level. Beech, Sugar
Ash Spice &c.

North Between Sections 10 & 11.

9.50 a Run 10 lb. wide Course W.
19.82 a Beech 18 in. diam.
40.00 Set gr. sec. post. from which
a W. Oak 16 in. dia. bears N 53 W. 24 lb. dist.
a Do. 16 " " " S 34 E, 9 lb. dist.
55.00 a Do. 18 " " "
57.00 Enter prairie N. E & S. W.
67.00 Left Do swampy.
75.00 Enter swamp
80.00 Set post loc. to Sect. 2, 3, 10, & 11. f. wh.
a W. Oak 20 in. dia. bears S 31 E. 34 lb. dist.
No more trees.
Land, S. $\frac{1}{2}$ 2nd rate rolling. Timb.

S. 25 N. T₄. 14 E. 2nd ¹²¹ Ma. Ind.^a

ch. W. Beech &c. N $\frac{1}{2}$ Oak Hedges with wet
places.

East on Mandom between Sections 2 & 11.
3.50 Left Swamp
14.50 a $\frac{1}{2}$ in 12 lb. wide course N.
21.00 Enter swampy prairie
26.00 Leave prairie course N.E.
40.00 Set temp. gr. sec. post.
51.00 Enter prairie
74.00 Leave prairie
79.50 Intersect N & S. line 18 lb. N. of post.

West corner line Between Sec. 2 & 11.
39.75 Set gr. sec. post, from which
a Hickory 10 in. dia. bears N 64 W. 19 lb. dt.
a Beech 24 " " " S 22 E 46 lb. dt.
Land, W. $\frac{1}{2}$ rolling, E. $\frac{1}{2}$ wet and
flat.
79.50 See. corner.

North Between Sections 2 & 3.
10.00 Left Swamp
10.68 a Wh. Oak 36 in. dia.
40.00 Set gr. sec. post, from which
a Hickory 20 in. dia. bears N 85 E. 29 lb.
a W. Oak 16 " " " N 60 W. 18 " dt.
53.00 Enter swamp
59.00 Off set 250 lb.
73.00 Leave swamp to line
78.50 Intersect N. Boundary 18 lb. W. of
post & set post cor. to sec. 2 & 3, fr. wh.
a Beech 18 in. dia. bears N 24 E. 15 lb. dt. &
a Hickory 16 " " S 5 W. 15 " "
Land, wet & swampy Ash, Maple
& Elm &c.

122 S. 25 N. No. 14 E. 2nd Mer. Ind.

Ch. W.
North Between sec. 33 & 34.
22.78 a Hickory 24 in. diam.
32.00 a Run 600 ft. wide Course E.
40.00 Set gn. sec. post. from which
a Hickory 14 in. dia. bears N 30 E. 260 ft. dist.
a Do. 24 " " " S 46 W. 27 " "
62.00 a Do. 24 " "
80.00 Set post loc. to sec. 29, 28, 33 & 34, -
a Bl. Walnut 20 in. dia. bears N 13 W. 37 ft. dist.
a Hickory 6 in. dia. bears N 50 E. 60 ft. dist.
Land, level 2nd rate Timber, -
Oak, Hickory & birch. Spice, Hawthorn.

East An Hound Between Sec. 29 & 34.
2.00 a Throughfare N & S.
8.00 To same Throughfare N E. & S. W.
26.12 To Wabash River 100 ft. wide cor. N. W.
a Hickory 12 in. dia. bears N 14 E. 30 ft. dist.
a Spruce 12 " " " S 5 W. 70 " "
27.64 Over River & set post on corrected
line from which
a Maple 30 in. dia. bears S 40 E. 42 ft. dist.
a Do 30 " " " N 55 W. 26 " "
40.00 Set temp. gn. sec. post.
79.50 Intersect N & S. line 168 ft. N. of post.

West Correct line between sec. 29 & 34.
37.98 Set gn. sec. post. from which
a Beech 12 in. dia. bears N 17 W. 11 ft. dist.
a Do. 12 " " " S 76 E. 38 ft. dist.
Land, 2nd rate level, Beech, Ash,
Chestnut Sugar, Spice.

North Between sections 29 & 28.
14.50 To Wabash River 200 ft. wide c. N. W.
& set post, from which

S. D. 5 N. R. 14 E. 2nd Mer. Ind. ¹²³

Ch. Mt. an Ash 5 in. dia. bears N 75 E. 53 lb. dist. X
 a Bl. Walnut 15 in. dia. bears S 61 W. 42 lb.
 16.50 Over River where a Buckeye 6 in.
 diam. for m^r. post. from which
 a Hickory 18 in. dia. bears N 80 W. 6 lb. dist.
 24.50 Left Bottom
 25.00 a H. Oak 30 in. diam.
 40.00 Set gr. sec. post. from which
 a Beech 24 in. dia. bears N 54 W. 42 lb. dist.
 a Do. 24 " " " S 33 E. 28 " "
 67.65 an Ash 24 in. dia.
 80.00 Set post hor. to sec. 21, 22, 24 & 28.
 a Bl. Walnut 12 in. dia. bears N 58 E. 41 lb.
 a Hickory 20 in. dia. bears S 34 W. 12 "
 Land, 2nd rate and level, Beech
 Ash Sugar & Spice

East On Meander Bottom, sec. 22 & 24.
 39.00 a Run 10 lb. wide course N.
 40.00 Set temp. gr. sec. post.
 45.00 Cropped Brook 10 lb. wide 5 times
 courses N. & N. E. W.
 79.56 Intersect N & S line 60 lb. N. of post.

West Correct line between Sec. 22 & 24.
 39.78 Set gr. sec. post. from which
 a Wh. Elm 12 in. dia. bears S 41 E. 20 lb. dist.
 a Do. 12 " " " N 41 W. 8 " "
 79.56 Sec. hor.
 Land, 2nd rate level, Beech,
 Sugar Ash & Spice.

North Between Sections 21 & 22.
 19.15 a Hickory 24 in. diam.
 34.50 2nd Bank of Thoroughfare 200 N. E.
 35.00 Thoroughfare East and West.

124 T. 25 N. R. 14 E. 2nd Mer. Ind?

Ch. W.
 36.00 Leave thoroughfare N.W.
 40.00 Set gr. sec. post, from which
 an Ash 12 in. dia. bears N 6 E, 176 lb. dist.
 a Sycamore 30 in. dia. " S 25 W, 65 " "
 45.00 To Thoroughfare
 50.60 a Wh. Elm 36 in. diam.
 55.50 To the Wabash River 200 lb. wide
 & set post, from which
 an Ash 12 in. dia. bears N 32 E, 25 lb. dist. X
 a Wh. Elm 30 " " " S 32 W, 91 " "
 57.36 To opposite side of River and set
 a meand. post, from which
 a Hickory 30 in. dia. bears N 52 W, 24 lb. X
 a Do. 12 " " " East 48 lb. dist.
 62.50 To Bend of Wabash 200 lb. c. N. & set post, fr. wh.
 a Hickory 6 in. dia. N 33 W, 32 & a B. Oak 12 in. S 45 E, 12 lb.
 66.80 Left Bend, a B. Oak 20 in. cor. fr. wh. a Mulberry 18, S 7 W, 32 lb.
 75.50 a B. Oak 20 " "
 80.00 set post Cor. to Sec. 15, 16, 21 & 22, fr. wh.
 a Maple 12 in. dia. bears N 37 E, 38 lb. dist.
 a Do. 14 " " " N 2 W, 24 " "
 Land, 2nd rate level. Oak, Ash,
 Hickory, Spice &c.

East On Random between Sec. 15 & 22.
 3.50 To Wabash 150 lb. wide course N.
 5.70 a Run 5 lb. wide course S.
 39.50 a Run 5 " " " S.
 40.00 Set temp. gr. sec. post.
 52.00 Enter swamp } mostly
 57.00 Left Swamp } N. of line
 73.50 a Run 10 lb. wide course S.
 80.20 Intersect 20 lb. N. of post. the North
 and South line.
 Land, Rolling 2nd rate.
 Beech, Ash, Oak, Hickory.

S. 25 N. 14.14 E. 2nd Mer. Ind. 125

Ch. 1/2

West

- 74.50 Connect line between Sec. 15 & 22.
To Wabash River 150 lb. wide C. N.
& set a meand. post, from which
a Hickory 6 in. dia. bears N 20 E. 10 lb. dist.
a Wh. Elm 30 " " " N 68 W. 26 " "
76.40 Over River & set meand. post on
Bank of River, from which
a W. Oak 20 in. diam. bears N 30 W. 3 lb. dist.
a W. Oak 20 " " for post.
+ 40.10 Set gr. sec. post, from which
a Beech 14 in. dia. bears N 10 E. 20 lb. dist. X
a Do. 16 " " " N 10 W. 23 " "
Land 2nd rate rolling.

North Between Sections 15 & 16.

- 6.00 To the Wabash River course N. W.
200 lb. wide & set post, from which
a H. Locust 20 in. dia. bears S 87 W. 90 lb. dist.
a Maple 12 in. dia. bears N 87 E. 83 " "
8.20 Over 2nd River and set post, for which
a Wh. Oak 12 in. diam. from which
a Wh. Oak 15 " " bears N 45 E. 3 lb. dist. X
22.44 a Do. 24 " "
40.00 Set gr. sec. post, from which
a W. Elm 24 in. diam. bears N 75 W. 44 lb. dist.
a Beech 20 " " " N 75 E. 46 " "
50.55 a Wh. Oak 30 in. diam.
75.00 a Run 8 lb. wide course W.
80.00 Set post cor. to sec. 9, 10, 15 & 16, fr. wh.
a Beech 18 in. dia. bears S 6 E. 10 lb. dist. X
a W. Oak 18 " " " N 50 W. 27 " "
Land, 2nd rate rolling.
Timbr. Hickory Oak Ash & Elm.

East On Random Between Sec. 11 & 15.

- 4000 set temp. gr. sec. post.

126 S. 25 N. R. 14 E. 2nd Mer. Ind.

Ch. P. No.

54.50 a Run 6th wide course S.

80.26 Intersect N & E. line 24th N. of post.

West correct line between Sec. 10 & 15.

40.13 Set gr. sec. post. from which
a Wh. Oak 30 in. dia. bears N 4 E. 40th dist.

a Do. 16 " " " S 25 E. 49 " "

80.26 Sec. cor.

Land, 2nd rate rolling. Oak, Hickory,
Ash, Spruce &c

North Between Sections 9 & 10.

4.50 Enter Swamp

20.50 Left Do.

26.83 a Wh. Oak 18 in. diam.:

37.50 a Run 10th wide course W.

40.00 Set gr. sec. post. from which

a Wh. Oak 15 in. diam. bears N 64 E. 34th dist.

a Hickory 5 " " " S 64 W. 5 " "

48.54 a Wh. Oak 30 in. diam.:

80.00 Set post hor. to Sec. 3, 4 & 9 & 10, fr. wh.

a Run 6 in. dia. bears N 84 E. 33th dist.

a Wh. Oak 6 in. " " S 82 W. 15 " "

Land, 2nd rate rolling. Limb.

Oak, Hickory Ash & Spruce.

East On Random Between Sec. 3 & 10.

40.00 Set gr. sec. post. from which (Temp.)

44.50 Enter Swamp

48.00 Left Swamp

59.00 Enter swampy prairie

79.85 Intersect N & E. line 62th E. of post.

West correct line between Sec. 3 & 10.

39.92 Set gr. sec. post. from which

a Beech 18 in. dia. bears N 13 E. 7th dist. &

S. 25 N. No. 14 E. 2nd Mer. Ind. ¹²⁷

chk. 4th a wh. Oak 36 in. dia. bears South, 23 lb.
Land, m. 1/2 good 2nd rate rolling.
Beech, Sugar Ash, E. 1/2 part same
part swamp.

North Between Sec. 3 & 4.

23.42 a Beech 24 in. diam.

40.00 Set gr. sec. post. from which
a Bc. Oak 18 in. dia. bears N 73 E. 13 lb. dist. X
a wh. Elm 14 " " " S 79 W. 62 " "

56.00 Enter Swamp

60.57 Leave Do.

79.16 Intersect Lower line 275 lb. E. of post
& set post loc. to sec. 3 & 4, from wh.
a Beech 24 in. dia. bears N 14 W. 13 lb. dist.
a Do. 12 " " " S 56 E. 19 " "
Land, 2nd rate level. Beech Ash,
Sugar & Spice.

North Between Sec. 33 & 32.

20.00 a Hickory 20 in. diam.

40.00 Set gr. sec. post. from which
an Ash 6 in. dia. bears N 39 E. 7 lb. dist. X
a wh. Elm 20 in. dia. " S 39 W. 42 " "
a Sycamore 24 in. diam.

80.00 Set post loc. to sec. 28, 29, 32 & 33, fr. wh.
an Ash 12 in. dia. bears N 35 W. 25 lb. dist. X
an Ash 12 " " " S 55 E. 15 " "
from this post west 1 out set post on a
stream 50 lb. wide.

Lumber, Ash, Oak, Elm & Hickory.

East On Random Between Sec. 28 & 33.

40.00 Set temp. gr. sec. post.

75.00 Swampy.

81.11 Intersect N. & S. line 115 lb. S. of post.

128 S. 25 N. 14 E. 2nd Mer. Ind.

Ch. 4th

West Correct line between Secs 28 & 33.

40.05 Set temp. gr. sec. post. f
an Ash 24 in. dia. bears 95 E. 32 W. dist.
a Do. 20 " " " 85 W. 36 " "
Land, level and wet Ash, Oak—
Elm, Maple, P. Ash & Spice.

80.11 Section corner.

North Between Secs 28 & 29.

10.00 a stream 60 lb. wide course N. E.

23.33 a Hickory 12 in. diam.

40.00 Set gr. sec. post. from which
a Hickory 10 in. dia. bears 155 W. 53 W. dist.
a Wh. Elm 5 " " " 14 E. 15 " "

40.50 Enter swamp

57.00 Left swamp

58.00 a Wh. Oak 12 in. diam.

80.00 Set post cor. to Secs 20, 21, 28 & 29.
an Ash 20 in. dia. bears West, 12 W. dist.
a Beech 18 " " " 90 E. 8 " "
Land, S. 1/2 2nd rate rolling. —
Timb. Oak, Ash, Hickory & Sugar
N. 1/2 part same & part swamp.

East On Random Between Sections 21 & 28.

40.00 Set gr. sec. post. from which

52.00 To Wabash, 150 lb. wide course N.

80.04 Intersect N. & E. line 47 lb. S. of post.

West Correct line between Secs 21 & 28.

40.02 Set gr. sec. post. from which
a Hackberry 6 in. dia. bears 110 E. 4 W. dist.
a Hickory 5 " " " 26 W. 14 " "

26.50 To Wabash 150 lb. wide C. N. slow
& set post on margin, from which
a Hickory 10 in. dia. bears 83 E. 21 W. dist.

ch? 1/2 a 44 in. diam. for post.
 27.50 Over River and set a meander
 post, from which
 a Wh. Elm 30 in. dia. bears N 86 W. 41 1/2th dist.
 a Maple 36 " " " S 8 E. 39 " "
 Land, 2nd rate W. 1/2 Rolling East
 1/2 level. Tim. Oak, Ash, Cedar and spire.

North Between Sections 20 & 21.

6.00 a Run 5 ch? wide East.
 15.62 a Pk Oak 20 in. diam.
 40.00 Set gr. sec. post, from which
 a Beech 12 in. dia. bears N 32 E. 27 1/2th dist.
 a Do. 10 " " " S 46 W. 23 " "
 57.77 a Hickory 18 " "
 75.50 a Run 6 ch? wide course W.
 80.00 Set post cor. to Secs 16, 17, 20 & 21, fr. wh.
 a Pin Oak 12 in. dia. bears N 3 E. 128 1/2th dist.
 a Maple 18 " " " S 7 E. 38 " "
 Land, Rolling. Oak, Hickory, Ash &
 Ironwood.

East an Meander between Secs 16 & 21.

39.50 Left Swamp (Entered)
 40.00 Set temp. gr. sec. post.
 49.00 Bend of the Wabash River 150 ch? wide
 course North West.
 60.50 Leave Bend course S.W.
 80.41 Intersect N & S line 36 1/2th S. of post.

West corner line between Sections 16 & 21.

40.20 Set gr. sec. post, from which
 an Ash 8 in. dia. bears S 66 E. 12 1/2th dist.
 a Wh. Oak 30 in. dia. " S 89 W. 130 " "
 19.91 Enter Bend and set post on margin
 of Wabash River, from which

S. 25 N. T. 14 E. 2nd Mer. Ind. a

chr. 1st

- 31.41 a Maple 16 in. dia. bears S 52 W. 55 lb. dist.
 a wh. Elm 24 in. dia. " N 50 E. 47 " "
 Left Bend of Wabash River and
 set a meand. post. from which
 a wh. Oak 16 in. dia. bears N 12 E. 5 lb. dist.
 a Hickory 14 " " " S 12 W. 10 " "
 Land, W. 1/2 2nd rate rolling. Timber:
 Oak and Hickory, E. 1/2 level Bottom
 Timber: Ash, Beech, Oak, Elm & Spice.

North Between Sec. 16 & 17.

- 9.00 To Wabash 150 lb. wide course S. W.
 and set a meand. post. from wh.
 an Ash 14 in. dia. bears N 22 E. 114 lb. dist.
 a Sycamore 24 in. " " S 43 W. 24 " "
 11.59 Over River & set post. from which
 a wh. Oak 6 in. dia. bears N 28 E. 29 lb. dist.
 a wh. Oak 14 " " " N 84 W. 14 " "
 19.50 a Run 10 lb. wide course East.
 24.30 a Beech 20 in. diam.
 40.00 Set gr. sec. post. from which
 a Hickory 12 in. dia. bears S 86 E. 13 lb. dist.
 a wh. Oak 24 in. " " N 67 W. 06 " "
 56.90 a Ditto 20 " "
 80.00 Set post cor. to Sec. 8, 9, 16 & 17, from which
 a wh. Oak 24 in. dia. bears N 35 W. 20 lb. dist.
 a Do. 12 " " " S 10 E. 53 " "
 Land, 2nd rate rolling. Timber:
 Oak, Hickory, Elm, Hard &c.

East An Meander between Sec. 9 & 14.

- 18.50 Enter Swamp
 40.00 set temp. gr. sec. post.
 53.00 Left swamp
 80.13 Intersect N & S line 76 lb. S. of post.

S. 25 N. R. 14 E. 2nd Mer. Ind. ¹³¹

Ch. Lk.

West corner line between Sect 9 & 16.

40.06 Set gr. sec. post. from which
a Maple 10 in. dia. bears N 83° W. 9 1/2 lb. dist.
an Ash 10 " " " N 29° E. 38 " "
Land wet and swampy. Tim.
Maple Willow, Elm &c. mid. gth.
of Willow and rose bush.

80.13

Sec. Cor.

North Between Sect 8 & 9.

26.46 a Hickory 12 in. diam.
35.00 a Run 5 lb. wide course E.
40.00 Set gr. sec. post. from which
a Hickory 8 in. dia. bears N 83° W. 14 1/2 lb. dist.
a Beech 12 " " " N 63° E. 40 " "
59.80 a Hickory 12 in. diam.
72.50 a Run 12 lb. wide course E.
80.00 Set post cor. to Sect 4, 5, 8 & 9, fr. which
a Hickory 15 in. dia. bears N 30° W. 5 1/2 lb. dist.
a Do. 15 " " " S 30° E. 72 " "
Land, rolling 2nd rate. Tim. Oak
Hickory, Beech Dogwood Briers &c.

East On Random between Sect 4 & 9.

25.00 a Run 6 lb. wide course S.
40.00 Set temp. gr. sec. post.
79.40 Intersect N & S. line 4 1/2 lb. S. of post.

West corner line between Sect 4 & 9.

39.70 Set gr. sec. post. from which
an Ash 12 in. dia. bears East. 86 lb. dist.
a Wh. Oak 12 " " " N 54° W. 11 " "
Land, rolling 2nd rate Oak. Hick
ory, Beech, Spice &c.

79.40

Sec. Cor.

North Between Section Sect 4 & 5.

26.94 a Hickory 30 in. diam.

132 S. 25 N. N. 14 E. 2nd Mer. Ind.

40.00 Set gr. sec. post. from which
an Ironwood 5 in. dia. bears N 75 E. 30 lb.
a Beech 14 " " " S 82 W. 28 " dist.
60.56 a Beech 12 in. diam.
80.56 Intersect North Boundary 339 M. E.
of post, & set post, from which (Cor. 4 & 5.)
a Beech 14 in. diam. bears S 75 W. 11 lb. dist.
a Do. 20 " " " S 64 E. 19 " "
Land, 2nd rate rolling. Timber, Oak,
Alder, Beech, Birch & Hawth. &c.

North Between Secs 31 & 32.

Commenced in Swamp

18.20 a Maple 12 in. diam.
40.00 Set gr. sec. post. from which
an Ash 24 in. dia. bears N 79 E. 13 lb. dist. X
an Ash 20 " " " S 65 W. 25 " "
65.00 Left Swamp Course N. E.
80.00 Set post Cor. to Secs 29, 30, 31 & 32, fr. wh.
a Sugar 24 in. dia. bears S 42 E. 17 lb. dist. X
an Ash 12 " " " N 48 W. 71 " "
Land, wet flat poor and mean. Tim.
Ash, Elm, Maple, Willow & rose Bushes.

East On Boundary between Secs 29 & 32.

4.00 Enter Swamp

40.00 Set temp. gr. sec. post.

41.00 Swampy Stream 200 lb. N. E.

43.50 Over Do.

45.00 Left Swamp

74.50 To Limber lost creek 50 lb. wide e. N.

77.80 Intersect N & S line at post.

West Correct line between Secs 29 & 32.

37.90 Set gr. sec. post. from which
a Willow 10 in. dia. bears N 75 E. 55 lb. dist. X

133

T. 25 N. R. 14 E. 2nd Mer. Ind.

W. 1/2 Sec. 20
 79.80 an Ash 16 in. dia. bears S 47 W. 64 1/2 W. dist.
 Section corner.
 Land, W. 1/2 Swamp. E. 1/2 2nd rate.
 level. Beech, Sugar,

West Between Section 30 & 31.

19.50 a Beech 12 in. diam.
 40.00 Set gr. sec. post. from which
 an Ash 12 in. dia. bears S 73 W. 21 1/2 W. dist.
 an Elm 12 " " " S 57 E. 11 " "
 66.16 a Swamp Ash 12 in. diam.
 82.10 Intersect W. Boundary 55 W. N. of post.
 & set post. corner to Sec. 30 & 31. from which
 a Buckeye 12 in. dia. bears N 53 W. 30 W. dist.
 a Beech 20 " " " S 4 E. 15 " "
 Land, good for farming level. Timber:
 Beech, Sugar Ash, Oak, open woods.

North Between Sections 29 & 30.

19.45 a Beech 20 in. dia.
 25.50 Crossed a Brook 3 times 10 W. wide
 courses. E. W. E.
 40.00 set gr. sec. post. from which
 a Beech 10 in. diam. bears N 65 W. 47 1/2 W. dist.
 a Dr. 14 " " " S 85 E. 24 " "
 47.50 a No. Oak 30 in. diam.
 80.00 Set post cor. to Sec. 19, 20, 29 & 30, from
 a Hickory 24 in. diam. bears N 70 E. 14 W.
 a No. Oak 10 " " " S 70 W. 10 W. dist.
 Land, 2nd rate rolling. Oak, Hickory.
 Sugar Ash Sugar & Spice.

East On Random Between Sec. 20 & 29.

40.00 Set temp. gr. sec. post.
 42.00 a Run 6 W. wide course N.
 46.50 Enter Swamp.

S. 25 N. 16. 14 E. 2nd Mer. Ind.

ch. 4th.

32.50 Left Swamp

80.12 Intersect N & S line 30th N. of post.

West Correct line between Sec. 20 & 29.

40.06 Set q. sec. post. from which
a wh. Oak 8 in. dia. bears N 7 E. 15th W
a Cherry 4 " " " S 35 W. 11 " dist.
Land, level wet. Oak, Ash, Elm,
Wichory, 11. Ash &c.

80.12 Sec. cor.

West Between Sections 19 & 30.

19.63 a wh. Oak 15 in. diam.

21.00 a Run 6th wide Course N.

40.00 Set q. sec. post. from which
a wh. Elm 12 in. dia. bears S 77 W. 27th dist. &
a do. 10 " " " N 6 W. 13 " "

57.27 a do. 18 " "

59.50 a Run 6th wide Course N.

77.00 Enter wet Prairie

82.70 Intersect Range line 9th N. of post.

Set a post cor. to Sect. 19 & 30, from wh.
a wh. Elm 24 in. dia. bears S 59 E. 19th W. &
No more trees convenient.
Land. W 1/2 level very bushy. Timber,
Ash, Elm, Cherry &c. E. 1/2 2nd rate.
level Beech, Sugar Ash & Spice.

North Between Sections 19 & 20.

15.00 To swampy land.

20.00 a Beech 12 in. dia.

40.00 Set q. sec. post. from which
a Beech 12 in. dia. bears S 67 W. 15th dist. &
a do. 18 " " " S 54 E. 18 " "

44.00 a Run 15th wide Course E.

53.00 a wh. Oak 24 in. diam.

60.00 Swampy land.

Ch. 4th.

80.00 set post Cor. to sec. 17, 18, 19 & 20, fr. wh.
a wh. Oak 32 in. dia. bears S 45 E. 200 lb. dist.
a Do. 32 " " " N 71 W. 22 " "
Land, 2nd rate rolling. Beech Ash,
Oak Sugar- Spruce.

East On Random between Sec. 17 & 20.

32.00 To Wabash 100 lb. wide Course N. W.
& set a meand. post, from which
a B. Oak 24 in. dia. bears N 45 W. 60 lb. dist.
no more trees.

39.25 Left Bend of Wabash River where
a wh. Elm 24 in. diam. is post, from wh.
a B. Oak 24 " " bears S 60 E. 36 lb. dist. &

45.50 To Wabash 150 lb. wide & set meand.
post, from which (Course N.)
a Hickory 10 in. dia. bears N 66 W. 35 lb. dist.
a Do. 6 " " " S 54 E. 19 " "

49.70 Over River and set a meand. post
on margin, from which
a Honey Locust 12 in. dia. bears N 23 W. 63 lb. &
a wh. Elm 30 in. dia. S 50 E. 190 lb. dist.
To Wabash 150 lb. wide Course South &
set a meand. post, from which
a wh. Elm 24 in. dia. bears N 48 E. 12 lb. &
a Hickory 6 " " " S 34 W. 18 " dist.

Over River post on correct line, fr. wh.
a Honey Locust 16 in. dia. bears N 65 E. 24 lb. dist.
a Mulberry 12 " " " S 52 W. 56 " "

49.78 Intersect N. & S. line 17 lb. N. of post. &

West correct line Between Sec. 17 & 20.

39.89 Set gr. sec. post from which
a B. Oak 18 in. dia. by N 10 E. 94 lb. dist.
a B. Oak 18 " " " S 10 W. 8 " "
Land, 2nd rate level Beech, Ash,

S. 25 N. R. 14 E. 2nd Mer. Ind. a

Ch. Pk.

Elm and Oak &
79.78 See loc.

North Between Sec. 17 & 18.

18.82 a Wh Oak 30 in. diam.

40.00 Set gr. sec. post, from which
a Sugar 12 in. dia. bears S 30 W. 54 lb. dist.
a Hickory 14 " " " S 50 E. 50 " "

58.00 Go Wabash 200 lb. wide course S. W.
a Wh. Elm 36 in. dia. bears N 43 E. 124 lb. &
an Ash 12 in. dia. bears S 19 E. 39 " dist.

62.25 Over River and set a meand. post, on
margin from which

a W. Oak 18 in. dia. bears N 40 E. 54 lb. dist. &
a W. Elm 5 " " " S 40 W 6 " "

80.00 Set post loc. to sec. 7, 8, 17 & 18, fr. wh.
a Hickory 15 in. dia. bears N 77 E. 11 lb. &
a Do. 15 " " " S 43 W. 49 " dist.
Land, 2nd rate level, Oak, Hickory
Hew and Hazel & Spice.

West Between Sec. 18 & 19.

19.12 a Beech 15 in. diam.

40.00 Set gr. sec. post, from which
a Wh. Oak 30 in. dia. bears for post, fr. wh.
a Hickory 14 " " bears S 41 W. 17 lb. dist.

55.12 a Wh. Oak 20 in. dia.

84.50 Intersect Range line 7 lb. N. of post.
& set post loc. to Sec. 18 & 19, fr. wh.
a Wh. Elm 20 in. dia. bears S 78 W. 57 lb. dist.
a Br. Oak 30 " " " N 73 E. 49 " "
Land, 2nd rate level & Brushy.
Oak, Hickory, Ash, Elm, Spice &c.

East On Randon Between Sec. 18 & 19.

2.50 a Run 6 lb. wide course S.

T. 25 N. R. 14 E. 2nd Mer. Ind. 137

Ch. 40.

- 40.00 Set gr. sec. post. (temporary.)
 55.00 a Run 4th lth. wide course S.
 80.00 Set post line to Sect. 17. Intersect N & S line
 9 lth. North of post.

West correct line between Sect. 8 & 17.

- 40.00 Set gr. sec. post. from which
 a W. Oak 31 in. dia. bears S 51 E 35 lth. dist.
 an Ash 10 " " for gr. sec. post.
 Land, 2nd rate level Oak & Hickory
 Yew and Hazel.
 80.00 Sec. line.

West Between Sections 7 & 18.

- 26.01 a Run 10 lth. wide course S. W.
 27.10 a Hickory 16 in. dia.
 40.00 Set gr. sec. post. from which
 a W. Oak 18 in. dia. bears N 45 E. 30 lth. dist. &
 a Hickory 12 " " " S 64 W. 20 " "
 64.88 a Do. 12 " "
 75.70 To Wabash River 250 lth. wide course N.
 & set a meand. post. from which
 a W. Oak 12 in. dia. bears N 6 E. 13 lth. dist. &
 an Ash 15 " " " South 24 " "
 79.70 Over River & set post. from which
 a Hickory 10 in. dia. bears N 67 E. 7 lth. dist. &
 a Hackberry 16 " " " N 51 W. 10 " "
 84.00 Intersect N. Boundary 137 lth. N. of post. &
 Set post cor. to Sect. 7 & 18. from which
 an Ash 24 in. dia. bears N 14 W. 80 lth. dist. &
 a Hackberry 24 in. dia. " N 4 E. 70 " "
 Land, 2nd rate & level, Knobby. Limb.
 Beech, Ash, Hickory Oak & Elm. undergrowth.
 of P. Ash & Spice.

North Between Sections 7 & 8.

T. 25 N. R. 14 E. 2nd Mer. and "

Ch. Lk.

15.25 a Sugar 15 in. diam.

40.00 Set gr. sec. post, from which
an Alb 5 in. dia. bears S 81 E. 37 lb. dist. &
a W. Oak 15 " " " N 86 W. 40 " "

56.00 a Run 4 lb. wide course S. W.

63.00 a W. Oak 20 in. diam.

80.00 Set post cor. to Sec. post, 5.6, 7 & 8, fr. wh.
a Hickory 12 in. dia. bears S 19 W. 12 lb. dist. &
a Hickory 18 " " for cor. post.
Land, 2nd rate level. Limb. Oak and
Hickory, Hawth & Hazel.

East On Random between Sect. 5 & 8.

40.00 Set temp. gr. sec. post.

80.09 Intersect N & S line 34 lb. N. of post.

West Corner line between Sect. 5 & 8.

40.04 Set gr. sec. post, from which
a B. Oak 24 in. dia. bears N 5 W. 21 lb. dist. &
a Jack Oak 6 " " " S 14 E. 45 " "

80.09 Sec. cor.

Land, W. 1/2 2nd rate. level Oak and Hick.
org. E. 1/2 same with Beech & Sugar.

West Between Sections 6 & 7.

40.00 Set gr. sec. post, from which
a W. Oak 12 in. dia. bears N 27 W. 6 lb. dist.
a Hickory 10 " " " S 45 E. 23 " "

48.50 a Run 4 lb. wide course South.

57.80 a W. Oak 24 in. diam.

71.50 a Run 6 lb. wide course S.

84.53 Intersect W. Boundary line 161 lb. N.
of post & Set post cor. to Sect. 6 & 7, fr. wh.
a Jack Oak 8 in. dia. bears N 78 E. 24 lb. dist.
a Do. 5 " " " N 79 W. 25 " "
Land, 2nd rate rolling. Lim. Oak and

T. 25 N. R. 14 E. 2nd Mer. Ind. a

chk. Lk.

Wickory, Hawthorn and Hazel.

North Between Sec. 5 & 6.

38.01 Enter swampy land.

40.00 Set gr. Sec. post. from which
a B. Oak 14 in. dia. bears N 28 W. 11 W. dist.
a Sack. Oak 6 in. " " N 68 E. 15 " "

57.71 a W. Elm 14 " "

60.00 Enter swamp (1822.)

70.00 leave do.

79.13 Intersect N. Boundary 333 W. E. of post.
& set post. loc. to sec. 5 & 6, from which
a Pin. Oak 20 in. dia. bears N 30 W. 27 W.
a Swamp. Ash 12 " " " S 76 E. 27 " dist.
Land, S. 1/2 rolling 2nd rate. —
Limb. Oak & Wickory. N. 1/2 level
and met. Ash, Oak, Elm, Maple
Sat. J. Worthington Dep. Sur.

Course of chk. Lk.

Meanders of the Wabash River
Beginning at corner on the
South side at the intersection
of the Wabash River with
the N. Boundary of sec. 7 T. 25
N. R. 14 E. Thence upstream
In sec. 7.

N 55 E 2.50

S 65 E 2.50

S 8 E. 2.50 To post in line of sec. 7 & 18 at 1.82.

In sec. 18.

South 4.00

S 20 E 4.50

S 35 E 6.00

S 8 E 3.50

S 45 E 7.00

S 75 E 5.50

140 P. 25 N. R. 14 E. 2nd Mer. Ind^a

houses 1/2 1/2

N72E 3.00
N32E 8.00
N55E 7.50
S85E 5.50
S60E 12.00
S78E 17.00
S88E 9.50
N60E 4.50
N82E 6.00

throughfare at 200.

at 2.36 to post in line of sec. 17 & 18.

S70E 4.50
S44E 3.50
S32E 25.00
S51E 5.00
S74E 7.00
S41E 6.50
S99E 8.50
S40W 3.00
S53W 6.00
S18W 4.50
S24E 5.50
S11E 2.50
S38E 5.00

In sec. 17.

High Bank

at 1.50 Cor. to sec. 17 & 20, and
at 2.50 a Run 10 1/2 wide -

N68E 5.00
N42E 1.00

In sec. 20.

Cor. to sec. 17 & 20 at .85.

N6E 8.50
S40E 4.00
S18E 4.50
S44E 7.50

In sec. 17.

at 2.30 Cor. to sec. 17 & 20.

S75E 8.00
N77E 8.50

In sec. 20.

141

S. 25 N. N. 14 E. 9th Men. Ind^a

house ch. N.

N 83 E 5.00

N 56 E 3.50

N 12 E 3.58 Cor. to sec. 17 & 20.

N 55 E 5.00

In sec. 17.

N 34 E 4.50

North 2.50 Cor. to sec. 16 & 17.

N 34 E 13.50

In sec. 16.

N 55 E 3.00

N 22 E 4.00

N 87 E 7.50

N 43 E 4.50

N 85 E 3.50

N 35 E 4.00

N 56 E 5.50

N 82 E 4.50

N 32 E 3.50

N 12 W 5.00

N 46 W 5.00

N 13 W 5.50

N 4 W 5.50

N 33 E 3.50

N 48 E 8.00

N 10 E 4.00

N 23 W 5.00

N 25 E 4.50

N 82 E 10.00

N 40 E 3.50

N 47 E 8.50

N 40 W 3.50

N 60 W 6.00

N 71 W 4.00

N 22 W 4.00

South 7.00

142 S. 25 N. 14 E. 9th Mer. Ind.

how set. ch. Lk.

S32 E 4.00 at 1.75 cor. to sec. 16 & 21.

East 4.00 In sec. 21.

N52 E 4.50 at 2.40 cor. to sec. 16 & 21.

N67 E 7.50 In sec. 14.

N63 E 7.50

N75 E 4.50

S80 E 5.30 To post cor. to sec. 15 & 16.

S43 E. 5.00 In sec. 15.

South 3.50 To post cor. to sec. 15 & 22.

S20 W 3.00 In sec. 22.

S7 W 5.00

S22 W 7.00 at 4.74 cor. to sec. 21 & 22.

S22 E 5.00 In sec. 21 at 2.45 cor. to sec. 21 & 22.

S53 E 8.00 In sec. 22.

S21 W 5.50

S39 W 4.00

N9 W 4.50

N38 W 4.50

N55 W 5.50 cor. to sec. 21 & 22 at 4.10.

S62 W 4.00 In sec. 21.

S4 E 2.50

S45 E 3.00

S20 W 6.50

S14 E 1.50

N74 W 8.50

S78 W 9.50

S42 W 8.00

S16 E 4.00

T. 25 N. R. 14 E. 2nd Mer. Ind. ¹⁴³

Course. Ch. 1st 1/2

S 84 E 4.00

S 49 W 7.00

S 19 W 6.50

S 50 W 7.00

S 3 E 4.00

S 75 E 8.00

S 50 W 1.50

N 84 W 5.50

S 49 W 10.00

S 20 E 4.00

S 76 E 2.00

East 2.00

N 64 E 6.00

S 65 E 4.80

To post loc. to sec. 20 & 28.

S 46 W 2.50

In sec. 28.

N 74 W 2.00

S 41 W 4.00

S 48 W 5.50

S 23 W 7.50

S 36 W 3.50

S 23 W 4.00

S 5 E 12.00

S 22 E 6.00

S 52 E 4.50

at 100 creek 100 ft. wide

N 29 E 2.00

N 4 E 2.50

N 86 E 6.00

S 19 W 3.00

at 1.00 throughfare 50

S 40 E 2.50

at 1.20 ditto. 150.

N 68 E 6.00

South 6.00

S 8 W 6.50

S 7 E 4.50

S 62 E 2.50

144 S. 25 N. R. 14 E. 2nd Mer. Ind. ^a

Amount Sh. Sh.

N 63 E 8. 00

S 10 E 4. 00

S 25 W 8. 50

South 5. 50

S 58 E 5. 00

N 67 E 5. 00

N 10 E 10. 00

N 75 E 4. 00

S 58 E 12. 50 at 7.87 Cor. to Sec. 27 & 28.

S 17 E 7. 50

In Sec. 27.

S 63 E 5. 50

N 40 E 5. 50

S 71 E 7. 00

N 79 E 5. 50

South 6. 00 at 4.72 Cor. to Sec. 27 & 34.

S 70 E 6. 00

In Sec. 31.

East 5. 00

S 20 W 1. 00

S 67 W 3. 50

S 17 W 11. 00

S 71 E 4. 00

Thorough fare 20.

N 57 E 8. 00

S 45 E 6. 50

West 5. 50

S 26 W 4. 00

Thorough fare 20.

S 56 E 8. 00

N 86 W 8. 50

S 21 W 6. 50

S 50 E 7. 00

N 76 E 5. 00

S 30 E 10. 50

at 5. a Sycamore 120 in. diam.

S 73 W 2. 50

N 61 W 7. 00

145

S. 25 N. 14. 14 E. 2nd Mer. Ind. a

Houses. ch. \$

S71W 5. 00

S6 E 12. 50

S14W 7. 00

a 6.50 a Run 6 ft. wide

S40 E 4. 00

N75 E 4. 50

N52 E 6. 00

S85 E 5. 00

S66 E 2. 00

N82W 4. 00

S20W 11. 50

S38 E 6. 00

S4 E 19. 00

at 13.50 Cor. to Townships 24 & 25.

N75 E 7. 00

S78 E 5. 00

N88 E 9. 50

at 5.25 Cor. to T. 24 & 25.

N15 E 6. 50

In sec. 35.

N67W 5. 50

S68W 6. 50

Cor. to Sect. 34 & 35.

N38W 3. 00

In sec. 34.

N35 E 22. 50

at 3. 13 Cor. to Sect. 34 & 35.

N14 E 5. 00

In sec. 35.

N56 E 2. 50

S11 E 8. 00

S75 E 5. 00

N7 E 8. 50

N82 E 10. 00

S45W 4. 50

S8W 7. 50

S75 E 6. 00

N32 E 7. 00

S71 E 6. 50

South 8. 00

146 J. 25 N. 14. 14 E. 2nd Mer. Indⁿ

Measured. ch^s. Lk^s.

N40W 6.00

N24E 14.50

at 12.59 Cor. to J. 24 & 25.

N78E 6.50

In sec. 35.

N64E 8.00

N45E 7.00

N70E 7.00

N17E 4.00

N46W 12.50

N23E 5.50

N42E 17.50

N72E 6.00

at 4.00 Cor. to sec. 35 & 36.

N51E 5.00

In sec. 34.

N8E 5.00

N83E 3.50

S58E 6.00

N38E 6.50

N20W 1.50

N31W 10.00

N61E 5.50

S69E 12.50

S31E 9.00

S80E 8.00

N48E 7.50

N14W 13.00

N57E 3.00

N42E 4.50

N64E 10.00

S84T 3.50

S19W 6.50

S47E 7.00

N38E 8.50

N10E 8.50

N72E 5.00

T. 25 N. R. 14 E. 2nd Mer. Ind ¹⁴⁷/_a

Course Ch. 2nd Mer.
S 82 E 7. 85

Cor. to R. 14 and R. 15 East.

Beginning at Cor. on the
Wabash N. side at the inter-
section of the River with the
W. boundary of Sec. 7. Thence
upstream. T. 25 N. R. 14 E.

In sec. 7.

N 83 E 3. 50

S 53 E 6. 00

S 15 E 2. 50

S 10 W 5. 00

S 28 E 14. 00

In sec. 18.

S 65 E 5. 50

N 44 E 24. 00

N 33 E 4. 00

N 55 E 9. 00

N 88 E 9. 00

S 73 E 7. 50

S 27 E 5. 00

S 65 E 4. 00

S 77 E 14. 00

S 87 E 13. 50

N 46 E 3. 00

N 27 E 3. 00

N 74 E 4. 00

at 3.50 line bet. sec. 17 & 18.

S 62 E 6. 50

In sec. 17.

S 37 E 14. 50

S 18 E 6. 00

S 36 E 9. 50

S 67 E 4. 00

S 83 E 3. 50

S 43 E 6. 00

S 18 E 10. 00

S 15 W 5. 50

S 40 W 4. 00

S. 25 N. 14 E. 2nd Mer. Ind^a

hours.	ch. 1/2
156 W	5.00
118 E	8.50
139 E	3.50
116 E	4.50
150 E	3.50
188 E	4.00
148 E	3.00
138 E	5.00
147 E	7.50
182 E	6.50
173 E	5.50
188 E	2.50
175 E	5.50
133 E	7.00
141 E	5.50
125 E	4.50
143 E	6.50
137 E	6.50
188 E	4.50
12 E	5.50
185 E	4.00
155 E	5.50
177 E	4.50
163 E	2.50
143 E	7.50
167 E	4.50
133 W	3.50
115 W	3.00
North	5.00
174 W	3.50
128 E	5.00
186 E	3.50
140 E	10.00
12 E	3.50

at 7.00 post in line sec. 17 & 20.

In sec. 20.

at 3.30 cor. to sec. 17 & 20

In sec. 17.

at 3.50 cor. to sec. 16 & 17.

In sec. 16.

149

S. 25 N. R. 14 E. 2nd Mer. Ind^a

Course. W. S. S.

S23W 5.00
 S4E 3.00
 N6E 4.00
 S77E 7.50
 S45E 7.00
 S25E 3.50
 S34W 4.50
 S36W 3.50
 N56W 7.00
 S13W 10.00
 S13E 3.00
 N84E 3.50
 N55E 8.00
 N70E 15.00
 N84E 5.00
 S49E 8.50

at 1.50. to post in line of sec. 15 & 16.

S2W 13.00

^{In sec. 15.}
 at 4.00 to post in line of sec. 15 & 22.

S21W 9.00
 S55E 7.00
 S25E 2.50
 S34E 5.00
 S8W 6.00
 S75W 5.00
 N46W 3.50
 N12W 7.00

In sec. 22.

at post loc. to Sec. 21 & 22.

N80W 2.00
 S10E 3.50
 S19W 6.50
 S3E 3.50
 S60W 3.50
 S76W 5.00
 N63W 6.00

In sec. 21.

S. 25 N. R. 14 E 2nd Mer. Ind^o

Courses.	Chs. Lks.
S64W	8.00
S48E	6.00
S20E	2.00
S73E	4.00
S5W	4.00
S57W	5.50
S9W	3.00
S36W	5.50
East	3.00
S46E	4.50
S9W	4.00
S82W	6.50
S64W	6.50
S4E	3.00
N75E	2.50
N57E	4.00
S81E	6.00
S41E	4.50

at post loc. to sec. 21 & 28.

S28W	2.50
S81W	8.00
S40W	5.00
S30W	3.00
S4W	4.00
S44W	5.00
S2E	6.00
S20E	9.50
N70E	3.50
N81E	6.00
S60E	2.00
S10E	4.00
S32E	3.00
N67E	4.00
S52E	3.00
S11W	16.00

In sec. 28.

151

T. 25 N. 16. 14 E. 2nd Mer. Ind^a

hours. ch. sh.

N66E 6. 00

S78E 4. 50

S81E 5. 00

S84W 14. 00

S89E 3. 50

N27E 4. 00

N2E 4. 50

N36E 4. 00

N89E 6. 00

S64E 4. 50

Cor. to Sec. 27 & 28.

C

S48E 17. 00

In sec. 27.

N60E 6. 50

S73E 5. 50

N77E 6. 50

S22E 8. 00

at 7.25 Cor. to Sec. 27 & 34.

S74E 2. 50

In sec. 34.

N85E 5. 50

S49E 3. 00

S44W 4. 50

S75W 5. 00

S74W 7. 00

N59E 9. 00

S47E 10. 00

S21W 5. 00

S26E 4. 50

S57W 3. 00

N79W 6. 00

S31E 6. 00

S77E 4. 00

S29E 5. 00

S21E 5. 50

S34W 4. 00

S71W 12. 00

S. 25 N. 14 E. 2nd Mer. Ind. a

Scanned ch. 4th.

S 8 E	6.00
S 15 W	3.50
S 7 E	6.50
N 79 E	4.50
N 12 E	3.50
S 88 E	5.00
S 73 E	6.00
South	5.00
S 82 W	5.00
S 8 W	9.00
S 68 E	4.50
S 71 E	5.50
S 89 E	14.00
N 32 E	3.50
N 10 E	4.50
N 39 E	6.50

To post loc. 34 & 35. (Sec. 35.)

N 31 E	6.00
N 48 E	7.00
N 24 E	3.00
N 10 E	4.50
N 62 E	4.50
S 37 E	6.00
N 58 E	4.50
N 76 E	10.50
N 83 E	5.50
S 18 W	4.00
S 65 W	6.00
S 14 E	4.50
N 42 E	4.50
N 86 E	4.00
S 62 E	3.50
N 89 E	4.50
S 11 E	4.50
S 14 W	14.50

In Sec. 35.

153

S. 25 N. N. 14 E. 2nd Mer. Ind^a

houses, etc. L.P.

S53E 4.00

S3E 6.50

at 5.80 Cor. to S. 24 & 25.

N84E 6.00

at 5.50 Cor. to S. 24 & 25.

N57E 7.00

N50E 13.50

N48W 3.50

N60W 4.50

N14W 7.50

N35E 6.50

S78E 3.50

S30E 6.50

S38E 9.50

S74E 4.50

N45E 3.50

N9E 5.00

N61E 5.00

S73E 8.00

N10E 4.00

N54W 3.50

N12W 2.50

N10W 5.00

N52E 6.00

S77E 12.50

S52E 17.50

N33E 6.00

N29W 4.50

N4E 3.00

N13W 5.50

N30E 6.50

S61E 4.00

S18E 2.00

S35E 3.50

N45E 3.50

T. 25 N. R. 14 E. 2nd Mer. Ind. ^{ca}

Courses.	Ch.	Sp.
N25E	2.	50
N63E	4.	50
S62E	3.	00
South	6.	00
S26W	6.	00
S33E	4.	00
N31E	3.	00
N6E	4.	50
N38E	5.	00
N60E	4.	50
S81E	11.	00

20 post loc. to R. 14 & 15 East.
Township N: 25.

Surveyed in 1822. Lat. J. Worthington, D. S.

I certify that the foregoing transcripts of
the field notes of Township 25 North
in Range 14 East 2nd Mer. Indiana
has been compared with the original in
this Office and found to be correct.

Surveyor General's Office.
Cincinnati, March 14th 1845.

William Johnston
Sur. Genl.